



HANGYANG

2022

[illegible]

.....

.....

.....

1.




1950 2010 6
002430

“ ”


2022

62.54%

2.



3.



4.

■ :

■

■



1.

1 —

1 —

2.

1998 2 “ ” “ ”

2005

12 “ ” “ ” 2007 2

“ ” “ ” 9 “ ”

“ ” 2010 1 “ ” “ ”

” 2018 4 19 , “ ”

2020 5 “ ”

“ ” 2021 9 “ ”

” 11

“ -

- ”

2022 3

8

2022 77 14 “

” “ —

— — ”

“ 6S ”

“ 6S ”

“ 6S ” ,

10 “ 6S ”

“ 6S ” ,

“ 6S ” : “ 6S

” “ 500 ” “

” “ 50 ” “

2022

- | | | | | | |
|---|---|------|-----|-----|---------|
| ■ | 1 | 2022 | AAA | 2-1 | |
| ■ | 2 | 2022 | | | 2-2 |
| ■ | 3 | 2022 | | 2-3 | |
| ■ | 4 | 2022 | | 2-4 | |
| ■ | 5 | 2022 | | 2-5 | |
| ■ | 6 | 2022 | | 2-6 | |
| ■ | 7 | 2022 | | | AAA 2-7 |
| ■ | 8 | 2022 | | 2-8 | |
| ■ | 9 | | | | 2-9 |




2-1



2-2



2-3



2-4



2-5



2-6



2-7



2-8



2-9

3.

1

2

11

3

11

4.

2-1

2-1

0A

2021-2023

1.

—

2.

3.

3 —

2021 -2023

2021 -2023


2022

10 8.00


2022 12 31

5182

4-1 4-2



4-1



4-2

“

”

“

”

“

”

“

”

1.

4%

80

1827.3

106.6

30

61.5

661

2.

“ HSE ”

“ ”

3.

4.

2022


,

4-3

4-4

190

360



4-3




4-4

4-5

4-6

“ ”



4-5



4-6

AAA

“

”

AAA

“

”

1.

“

”

2.

1.

2 “ ”

3

3.

“ ” “ 6S ”

“ ”

100% 100%

2

COD 6

2

4 2 1 1 2

pH COD

• ISO45001

ISO14001

“

"

950

EHS

“

"

“

"

“

"

66

"

“

"

“

"

13.8

36.85

LED

59.94

160.04

20.24

54.04

456.64

1.99

“

"

“

"

“

"

6

"

“

"

“

"

“

"

禁止吸烟

È (

400

№

10

7-1

2.

100%

3.

Ř

13

COMPRESSOR FOR THE SFA

Ã • À

FJE÷' 3

È

Y (CROSS) HUBS FOR 12E1 17E÷ È

66 21,1 3 91-

MA' 1 國 \$ 鉄